

READ Chemistry Ch 18 Solutions Practice Problems Answers.PDF. You can download and read online PDF file Book Chemistry Ch 18 Solutions Practice Problems Answers only if you are registered here.Download and read online Chemistry Ch 18 Solutions Practice Problems Answers PDF Book file easily for everyone or every device. And also You can download or readonline all file PDF Book that related with Chemistry Ch 18 Solutions Practice Problems Answers book. Happy reading Chemistry Ch 18 Solutions Practice Problems Answers Book everyone. It's free to register here to get Chemistry Ch 18 Solutions Practice Problems Answers Book file PDF. file Chemistry Ch 18 Solutions Practice Problems Answers Book Free Download PDF at Our eBook Library. This Book have some digitalformats such us : kindle, epub, ebook, paperbook, and another formats. Here is The Complete PDF Library

I. Model Problems II. Practice Problems III. Challenge Problems

...www.MathWorksheetsGo.com Right Triangles And SOHCAHTOA: Finding The Measure Of An Angle Given 3th, 2024Calculus - Problems And Solutions Problems And Solutions ...Throughout The Text Clarify Each Problem And Fill In Missing Steps Needed To Reach The Solution, Making This Book Like No Other Algebra Workbook On The Market. The Humongous Book Of Calculus Problems Now Students Have Nothing To Fear! Math Textbooks Can Be 2th, 202410 1 Practice Problems Answer

Key ChemistryOct 17, 2021 · 10 Practice Test 1 - College Board Our Online AMC 10 Problem Series Course Has Been Instrumental Preparation For Thousands Of Top AMC 10 Scorers Over The Past Decade. LEARN MORE AMC 10 Problems And Solutions. 4th, 2024.

9 2 Practice Problems Chemistry Answer KeyDec 21, 2021 · Read PDF 9 2 Practice Problems Chemistry Answer Key Beginning And Intermediate Algebra: Connecting Concepts Through Applications Organic Chemistry, 3rd Edition Offers Success In Organic Chemistry Requires Mastery In Two Core Aspects: Fundamental Concepts And The 4th, 2024Organic Chemistry Practice Problems And SolutionsAddition, New Practice Problems And A Helpfultutorial On Organic Chemistry Names And Structures Have Been Addedto Improve Both The Scope And Accessibility Of The Book.Of All The PE Exams, More People Take The Civil Than Any Other Discipline. 3th, 2024Chemistry Conversion Factors Practice Problems With SolutionsMasteringChemistry® Long, Introductory Chemistry Math Review Toolkit Chemistry Workbook For Dummies-Peter J. Mikulecky 2008-08-06 From Liquids And. Chemistry Conversion Factors Practice Problems With Solutions 3/26 [DOC] Solids To Acids And Bases - Work Chemistry 1th, 2024. Organic Chemistry Practice Problems And Solutions Epdf ...An Indispensable

Supplement To The Primary Text, This Resource Covers Aromatic Compounds, Infrared (IR) And Nuclear Magnetic Resonance (NMR) Spectroscopy, Nucleophilic And Electrophilic Aromatic Substitution, Ketones A 2th, 2024Practice Problems: Solutions (Answer Key)Apr 06, 2016 · 0.986 B. 35.7 G Of KBr In 16.2 G Of Water KBr: 0.250, H₂O: 0.750 C. 233 G Of CO₂ In 0.409 L Of Water (density Of Water Is 1.00 G/mL) CO₂: 0.189, H₂O: 0.811 5. Calculate The Mole Fraction, Molarity And Molality Of NH₃ If It Is In A Solution Composed Of 30.6 G NH₃ In 81.3 G Of H₂O. The Density Of The Solut 1th, 2024I. Model Problems. II. Practice III. Challenge Problems VI ...I. Model Problems The Equation Of A Line Is Given By The Formula $Y = Mx + B$. M Equals The Slope Of The Line B Equals The Y-intercept Of The Line This Equation Of The Line Is Called “slope-intercept” Form Because It Easily Shows Both The Slope And The Intercept Of The Line. 2th, 2024.

I. Model Problems. II. Practice III. Challenge Problems IV ...Terms That Contain The Same Variable Or Variables With The Same Exponents Are Like Terms. To Combine Like Terms, Add The Coefficients. I. Model Problems In These Examples You Will Combine Like Terms. Example 1: Simplify . First Change Subtraction To Add The Opposite. Next Group Li 3th, 2024PRACTICE PROBLEMS: WORD PROBLEMS WITH SCIENTIFIC ...PRACTICE PROBLEMS: WORD PROBLEMS WITH SCIENTIFIC NOTATION

For The Following Problems: 1. Use Scientific Notation. 2. Don't Forget UNITS! 3. Show Your Work. 1. The Body Of A 150 Lb Person Contains 2.3×10^{-4} Lb Of Copper. How Much Copper Is Contained In The Bodies Of 1200 Such People? 2. The Speed Of Light Is Approximately 3×10^8 M/s. How ... 1th, 2024

Genetics Practice Problems Monohybrid Problems Worksheet ... Example: In Pea Plants, Spherical Seeds (S) Are Dominant To Dented Seeds (s) Page 3 Monohybrid Cross Quiz by This 1 Page Quiz Tests Students On Basic Genetic Terminology, How To Set Up And Solve A Monohybrid Cross, How 3th, 2024.

I. Model Problems. II. Practice III. Challenge Problems IV.

... www.MathWorksheetsGo.com Solving Equations With Variables In The Exponents

I. Model Problems There Are Four Steps To Solving Equations Variable In The Exponents: 1. Rewrite The Bases Of Both Sides Of The Equation As Powers Of A Common Base. 2. Substitute New Bases. 3. Simplify Exponents. 4. Set Exponents Equal To Each Other And Solve. 3th, 2024

I. Model Problems II. Practice III. Challenge Problems IV. ... www.MathWorksheetsGo.com Cumulative Review: SOHCAHTOA And Angles Of Elevation And Depression Part 1: Model Problems The Purpose Of This Worksheet Is To Provide Students The Opportunity To Review The Following Topics In Right Triangle Trigonometry: Identify The Opposite Leg, Adjacent 1th, 2024

Model Problems. II. Practice III. Challenge Problems VI. ...I. Model Problems The Equation Of A Line Is Given By The Formula $Y = Mx + B$. M Equals The Slope Of The Line B Equals The Y-intercept Of The Line This Equation Of The Line Is Called "slope-intercept" Form Because It E 1th, 2024.

I. Model Problems. II. Practice Problems III. Think Pair Share IV.

...Www.MathWorksheetsGo.com I. Model Problems. II. Practice Problems III. Think Pair S 3th, 2024I. Model Problems II. Practice Problems (page 7) III ...Online Sine Cosine Tangent Calculator, Or A Table Of Values From A Chart. In This Case, An Approximate Value For The Tangent Of 38 Degrees Is 0.78129: X M X 21.876 28(0.78129) (Note That We Have Included Units Of Meters, As The Original Side Was Specified In Meters.) 1th, 2024I. Model Problems II. Practice Problems III. Challenge ...Angle Sine Cosine Tangent 24 0.40674 0.91355 0.44523 25 0.42262 0.90631 0.46631 26 0.43837 0.89879 0.48773 So We Conclude That $\theta = 25^\circ$ To The Nearest Degree. We Rewrite The Equation Using The Inverse Tangent As $\tan^{-1}(0.78129)$ 1 Which Is Pronounced "theta Is ... 2th, 2024.

Related Rates Problems Sample Practice Problems For Some ...Related Rates Problems Sample Practice Problems For Some Frequently Encountered Types Of Related Rates Problems 1. Triangle And Angle Problems: A Ladder 13 Feet Long

Rests Against A Vertical Wall. If The Bottom 2th, 2024CHEMISTRY 313 PHYSICAL CHEMISTRY I Additional Problems ...I.7. Naphthalene ($C_{10}H_8$) Melts At 80.2°C . If The Vapor Pressure Of The Liquid Is 0.013 Bar At 85.8°C And 0.053 Bar At 119.3°C , Use The Clausius-Clapeyron Equation To Calculate (a) The Enthalpy Of Vaporization, (b) The Normal Boiling Point And (c) The Entropy Of Vaporization. 1th, 2024Solutions To Sample Quiz Problems And Assigned ProblemsFor A Monatomic Interacting Classical Gas, With Interactions That Only Depend On The Particle Co-ordinates, Derive The Maxwell Boltzmann Distribution Of Velocities And Show That The Average Kinetic Energy Is Given By $\langle E_{\text{kin}} \rangle = \frac{3}{2} N k_B T$. Solution. See Eqs. (94,95) Of The Notes. |||||{Quiz Problem 12. Using The Fact That $E_{\text{kin}} = \frac{3}{2} N k_B T$ Show That E_{kin} Is Proportional To T . Solution. See Eqs ... 1th, 2024.

Solutions To Problems : Chapter 25 Problems Appeared On ...Solutions To Problems : Chapter 25 Problems Appeared On The End Of Chapter 25 Of The Textbook (Problem 16, 30, 42, 44, 58, 60, 66, 72) 16. Picture The Problem: Radio Signals Travel From Earth To A Distant Spacecraft. Strategy: Divide The Distance By The Speed Of Light To Calculate The Time For The Signal To Reach The Craft. 4th, 2024Solutions To Section 1.3 Homework Problems Problems 1 ...27h ~ 1 24 4 31 038 H ~ 1 24 05 15 038 H ~ 1 24 01 3 038 H ~ 1 24 01 3 0017 H The Linear

System Whose Augmented Matrix Is The Last One Shown Is Consistent If And Only If $17 \neq 0$. Thus, B Is In The Plane Spanned By A_1 And A_2 If And Only If $17 \neq 0$. 19. Since $V_2 = 1.5V_1$, $\text{Span}\{V_1, V_2\}$ Is A Line Through The Origin In \mathbb{R}^3 . (If V_1 And V_2 4th, 2024 Solutions To Problems For Part 3 Assigned Problems And ... Assigned Problems And Sample Quiz Problems Sample Quiz Problems Quiz Problem 1. Draw The Phase Diagram Of The Ising Ferromagnet In An Applied Magnetic Field. Indicate The Critical Point. Plot The Magnetization As A Function Of The Applied Field For Three Temperatures $T < T_c$. Quiz ... 3th, 2024.

Problems And Solutions Section 1.4 (problems 1.65 Through ... Indicated In Figure P1.70. Calculate The Natural Frequency Of Vibration Of The Smaller Pipe (of Radius R_1) Rolling Back And Forth Inside The Larger Pipe (of Radius R). Use The Energy Method And Assume That The Inside Pipe Rolls Without Slipping And Has A Mass M . TRUCKER Truck Bed Small Pipe Large Pipe (a) $R_1 < R$ (b) $R_1 = R$ (c) $R_1 > R$ (d) $R_1 = R$ (e) $R_1 < R$ (f) $R_1 = R$ (g) $R_1 > R$ (h) $R_1 = R$ (i) $R_1 < R$ (j) $R_1 = R$ (k) $R_1 > R$ (l) $R_1 = R$ (m) $R_1 < R$ (n) $R_1 = R$ (o) $R_1 > R$ (p) $R_1 = R$ (q) $R_1 < R$ (r) $R_1 = R$ (s) $R_1 > R$ (t) $R_1 = R$ (u) $R_1 < R$ (v) $R_1 = R$ (w) $R_1 > R$ (x) $R_1 = R$ (y) $R_1 < R$ (z) $R_1 = R$ (aa) $R_1 > R$ (ab) $R_1 = R$ (ac) $R_1 < R$ (ad) $R_1 = R$ (ae) $R_1 > R$ (af) $R_1 = R$ (ag) $R_1 < R$ (ah) $R_1 = R$ (ai) $R_1 > R$ (aj) $R_1 = R$ (ak) $R_1 < R$ (al) $R_1 = R$ (am) $R_1 > R$ (an) $R_1 = R$ (ao) $R_1 < R$ (ap) $R_1 = R$ (aq) $R_1 > R$ (ar) $R_1 = R$ (as) $R_1 < R$ (at) $R_1 = R$ (au) $R_1 > R$ (av) $R_1 = R$ (aw) $R_1 < R$ (ax) $R_1 = R$ (ay) $R_1 > R$ (az) $R_1 = R$ (ba) $R_1 < R$ (bb) $R_1 = R$ (bc) $R_1 > R$ (bd) $R_1 = R$ (be) $R_1 < R$ (bf) $R_1 = R$ (bg) $R_1 > R$ (bh) $R_1 = R$ (bi) $R_1 < R$ (bj) $R_1 = R$ (bk) $R_1 > R$ (bl) $R_1 = R$ (bm) $R_1 < R$ (bn) $R_1 = R$ (bo) $R_1 > R$ (bp) $R_1 = R$ (bq) $R_1 < R$ (br) $R_1 = R$ (bs) $R_1 > R$ (bt) $R_1 = R$ (bu) $R_1 < R$ (bv) $R_1 = R$ (bv) $R_1 > R$ (bw) $R_1 = R$ (bx) $R_1 < R$ (by) $R_1 = R$ (bz) $R_1 > R$ (ca) $R_1 = R$ (cb) $R_1 < R$ (cc) $R_1 = R$ (cd) $R_1 > R$ (ce) $R_1 = R$ (cf) $R_1 < R$ (cf) $R_1 = R$ (cg) $R_1 > R$ (ch) $R_1 = R$ (ci) $R_1 < R$ (ci) $R_1 = R$ (cj) $R_1 > R$ (ck) $R_1 = R$ (cl) $R_1 < R$ (cl) $R_1 = R$ (cm) $R_1 > R$ (cn) $R_1 = R$ (co) $R_1 < R$ (co) $R_1 = R$ (cp) $R_1 > R$ (cq) $R_1 = R$ (cq) $R_1 < R$ (cr) $R_1 = R$ (cs) $R_1 > R$ (ct) $R_1 = R$ (ct) $R_1 < R$ (cu) $R_1 = R$ (cu) $R_1 > R$ (cv) $R_1 = R$ (cv) $R_1 < R$ (cw) $R_1 = R$ (cw) $R_1 > R$ (cx) $R_1 = R$ (cx) $R_1 < R$ (cy) $R_1 = R$ (cy) $R_1 > R$ (cz) $R_1 = R$ (cz) $R_1 < R$ (da) $R_1 = R$ (db) $R_1 < R$ (db) $R_1 = R$ (dc) $R_1 > R$ (dc) $R_1 = R$ (dd) $R_1 < R$ (dd) $R_1 = R$ (de) $R_1 > R$ (de) $R_1 = R$ (df) $R_1 < R$ (df) $R_1 = R$ (dg) $R_1 > R$ (dg) $R_1 = R$ (dh) $R_1 < R$ (dh) $R_1 = R$ (di) $R_1 > R$ (di) $R_1 = R$ (dj) $R_1 < R$ (dj) $R_1 = R$ (dk) $R_1 > R$ (dk) $R_1 = R$ (dl) $R_1 < R$ (dl) $R_1 = R$ (dm) $R_1 > R$ (dm) $R_1 = R$ (dn) $R_1 < R$ (dn) $R_1 = R$ (do) $R_1 > R$ (do) $R_1 = R$ (dp) $R_1 < R$ (dp) $R_1 = R$ (dq) $R_1 > R$ (dq) $R_1 = R$ (dr) $R_1 < R$ (dr) $R_1 = R$ (ds) $R_1 > R$ (ds) $R_1 = R$ (dt) $R_1 < R$ (dt) $R_1 = R$ (du) $R_1 > R$ (du) $R_1 = R$ (dv) $R_1 < R$ (dv) $R_1 = R$ (dv) $R_1 > R$ (dw) $R_1 = R$ (dw) $R_1 < R$ (dx) $R_1 = R$ (dx) $R_1 > R$ (dy) $R_1 = R$ (dy) $R_1 < R$ (dz) $R_1 = R$ (dz) $R_1 > R$ (ea) $R_1 = R$ (eb) $R_1 < R$ (eb) $R_1 = R$ (ec) $R_1 > R$ (ec) $R_1 = R$ (ed) $R_1 < R$ (ed) $R_1 = R$ (ee) $R_1 > R$ (ee) $R_1 = R$ (ef) $R_1 < R$ (ef) $R_1 = R$ (eg) $R_1 > R$ (eg) $R_1 = R$ (eh) $R_1 < R$ (eh) $R_1 = R$ (ei) $R_1 > R$ (ei) $R_1 = R$ (ej) $R_1 < R$ (ej) $R_1 = R$ (ek) $R_1 > R$ (ek) $R_1 = R$ (el) $R_1 < R$ (el) $R_1 = R$ (em) $R_1 > R$ (em) $R_1 = R$ (en) $R_1 < R$ (en) $R_1 = R$ (eo) $R_1 > R$ (eo) $R_1 = R$ (ep) $R_1 < R$ (ep) $R_1 = R$ (eq) $R_1 > R$ (eq) $R_1 = R$ (er) $R_1 < R$ (er) $R_1 = R$ (es) $R_1 > R$ (es) $R_1 = R$ (et) $R_1 < R$ (et) $R_1 = R$ (eu) $R_1 > R$ (eu) $R_1 = R$ (ev) $R_1 < R$ (ev) $R_1 = R$ (ev) $R_1 > R$ (ew) $R_1 = R$ (ew) $R_1 < R$ (ex) $R_1 = R$ (ex) $R_1 > R$ (ey) $R_1 = R$ (ey) $R_1 < R$ (ez) $R_1 = R$ (ez) $R_1 > R$ (fa) $R_1 = R$ (fb) $R_1 < R$ (fb) $R_1 = R$ (fc) $R_1 > R$ (fc) $R_1 = R$ (fd) $R_1 < R$ (fd) $R_1 = R$ (fe) $R_1 > R$ (fe) $R_1 = R$ (ff) $R_1 < R$ (ff) $R_1 = R$ (fg) $R_1 > R$ (fg) $R_1 = R$ (fh) $R_1 < R$ (fh) $R_1 = R$ (fi) $R_1 > R$ (fi) $R_1 = R$ (fj) $R_1 < R$ (fj) $R_1 = R$ (fk) $R_1 > R$ (fk) $R_1 = R$ (fl) $R_1 < R$ (fl) $R_1 = R$ (fm) $R_1 > R$ (fm) $R_1 = R$ (fn) $R_1 < R$ (fn) $R_1 = R$ (fo) $R_1 > R$ (fo) $R_1 = R$ (fp) $R_1 < R$ (fp) $R_1 = R$ (fq) $R_1 > R$ (fq) $R_1 = R$ (fr) $R_1 < R$ (fr) $R_1 = R$ (fs) $R_1 > R$ (fs) $R_1 = R$ (ft) $R_1 < R$ (ft) $R_1 = R$ (fu) $R_1 > R$ (fu) $R_1 = R$ (fv) $R_1 < R$ (fv) $R_1 = R$ (fv) $R_1 > R$ (fw) $R_1 = R$ (fw) $R_1 < R$ (fx) $R_1 = R$ (fx) $R_1 > R$ (fy) $R_1 = R$ (fy) $R_1 < R$ (fz) $R_1 = R$ (fz) $R_1 > R$ (ga) $R_1 = R$ (gb) $R_1 < R$ (gb) $R_1 = R$ (gc) $R_1 > R$ (gc) $R_1 = R$ (gd) $R_1 < R$ (gd) $R_1 = R$ (ge) $R_1 > R$ (ge) $R_1 = R$ (gf) $R_1 < R$ (gf) $R_1 = R$ (gg) $R_1 > R$ (gg) $R_1 = R$ (gh) $R_1 < R$ (gh) $R_1 = R$ (gi) $R_1 > R$ (gi) $R_1 = R$ (gj) $R_1 < R$ (gj) $R_1 = R$ (gk) $R_1 > R$ (gk) $R_1 = R$ (gl) $R_1 < R$ (gl) $R_1 = R$ (gm) $R_1 > R$ (gm) $R_1 = R$ (gn) $R_1 < R$ (gn) $R_1 = R$ (go) $R_1 > R$ (go) $R_1 = R$ (gp) $R_1 < R$ (gp) $R_1 = R$ (gq) $R_1 > R$ (gq) $R_1 = R$ (gr) $R_1 < R$ (gr) $R_1 = R$ (gs) $R_1 > R$ (gs) $R_1 = R$ (gt) $R_1 < R$ (gt) $R_1 = R$ (gu) $R_1 > R$ (gu) $R_1 = R$ (gv) $R_1 < R$ (gv) $R_1 = R$ (gv) $R_1 > R$ (gw) $R_1 = R$ (gw) $R_1 < R$ (gx) $R_1 = R$ (gx) $R_1 > R$ (gy) $R_1 = R$ (gy) $R_1 < R$ (gz) $R_1 = R$ (gz) $R_1 > R$ (ha) $R_1 = R$ (hb) $R_1 < R$ (hb) $R_1 = R$ (hc) $R_1 > R$ (hc) $R_1 = R$ (hd) $R_1 < R$ (hd) $R_1 = R$ (he) $R_1 > R$ (he) $R_1 = R$ (hf) $R_1 < R$ (hf) $R_1 = R$ (hg) $R_1 > R$ (hg) $R_1 = R$ (hh) $R_1 < R$ (hh) $R_1 = R$ (hi) $R_1 > R$ (hi) $R_1 = R$ (hj) $R_1 < R$ (hj) $R_1 = R$ (hk) $R_1 > R$ (hk) $R_1 = R$ (hl) $R_1 < R$ (hl) $R_1 = R$ (hm) $R_1 > R$ (hm) $R_1 = R$ (hn) $R_1 < R$ (hn) $R_1 = R$ (ho) $R_1 > R$ (ho) $R_1 = R$ (hp) $R_1 < R$ (hp) $R_1 = R$ (hq) $R_1 > R$ (hq) $R_1 = R$ (hr) $R_1 < R$ (hr) $R_1 = R$ (hs) $R_1 > R$ (hs) $R_1 = R$ (ht) $R_1 < R$ (ht) $R_1 = R$ (hu) $R_1 > R$ (hu) $R_1 = R$ (hv) $R_1 < R$ (hv) $R_1 = R$ (hv) $R_1 > R$ (hw) $R_1 = R$ (hw) $R_1 < R$ (hx) $R_1 = R$ (hx) $R_1 > R$ (hy) $R_1 = R$ (hy) $R_1 < R$ (hz) $R_1 = R$ (hz) $R_1 > R$ (ia) $R_1 = R$ (ib) $R_1 < R$ (ib) $R_1 = R$ (ic) $R_1 > R$ (ic) $R_1 = R$ (id) $R_1 < R$ (id) $R_1 = R$ (ie) $R_1 > R$ (ie) $R_1 = R$ (if) $R_1 < R$ (if) $R_1 = R$ (ig) $R_1 > R$ (ig) $R_1 = R$ (ih) $R_1 < R$ (ih) $R_1 = R$ (ii) $R_1 > R$ (ii) $R_1 = R$ (ij) $R_1 < R$ (ij) $R_1 = R$ (ik) $R_1 > R$ (ik) $R_1 = R$ (il) $R_1 < R$ (il) $R_1 = R$ (im) $R_1 > R$ (im) $R_1 = R$ (in) $R_1 < R$ (in) $R_1 = R$ (io) $R_1 > R$ (io) $R_1 = R$ (ip) $R_1 < R$ (ip) $R_1 = R$ (iq) $R_1 > R$ (iq) $R_1 = R$ (ir) $R_1 < R$ (ir) $R_1 = R$ (is) $R_1 > R$ (is) $R_1 = R$ (it) $R_1 < R$ (it) $R_1 = R$ (iu) $R_1 > R$ (iu) $R_1 = R$ (iv) $R_1 < R$ (iv) $R_1 = R$ (iv) $R_1 > R$ (iw) $R_1 = R$ (iw) $R_1 < R$ (ix) $R_1 = R$ (ix) $R_1 > R$ (iy) $R_1 = R$ (iy) $R_1 < R$ (iz) $R_1 = R$ (iz) $R_1 > R$ (ja) $R_1 = R$ (jb) $R_1 < R$ (jb) $R_1 = R$ (jc) $R_1 > R$ (jc) $R_1 = R$ (jd) $R_1 < R$ (jd) $R_1 = R$ (je) $R_1 > R$ (je) $R_1 = R$ (jf) $R_1 < R$ (jf) $R_1 = R$ (jg) $R_1 > R$ (jg) $R_1 = R$ (jh) $R_1 < R$ (jh) $R_1 = R$ (ji) $R_1 > R$ (ji) $R_1 = R$ (jj) $R_1 < R$ (jj) $R_1 = R$ (jk) $R_1 > R$ (jk) $R_1 = R$ (jl) $R_1 < R$ (jl) $R_1 = R$ (jm) $R_1 > R$ (jm) $R_1 = R$ (jn) $R_1 < R$ (jn) $R_1 = R$ (jo) $R_1 > R$ (jo) $R_1 = R$ (jp) $R_1 < R$ (jp) $R_1 = R$ (jq) $R_1 > R$ (jq) $R_1 = R$ (jr) $R_1 < R$ (jr) $R_1 = R$ (js) $R_1 > R$ (js) $R_1 = R$ (jt) $R_1 < R$ (jt) $R_1 = R$ (ju) $R_1 > R$ (ju) $R_1 = R$ (jv) $R_1 < R$ (jv) $R_1 = R$ (jv) $R_1 > R$ (jw) $R_1 = R$ (jw) $R_1 < R$ (jx) $R_1 = R$ (jx) $R_1 > R$ (jy) $R_1 = R$ (jy) $R_1 < R$ (jz) $R_1 = R$ (jz) $R_1 > R$ (ka) $R_1 = R$ (kb) $R_1 < R$ (kb) $R_1 = R$ (kc) $R_1 > R$ (kc) $R_1 = R$ (kd) $R_1 < R$ (kd) $R_1 = R$ (ke) $R_1 > R$ (ke) $R_1 = R$ (kf) $R_1 < R$ (kf) $R_1 = R$ (kg) $R_1 > R$ (kg) $R_1 = R$ (kh) $R_1 < R$ (kh) $R_1 = R$ (ki) $R_1 > R$ (ki) $R_1 = R$ (kj) $R_1 < R$ (kj) $R_1 = R$ (kk) $R_1 > R$ (kk) $R_1 = R$ (kl) $R_1 < R$ (kl) $R_1 = R$ (km) $R_1 > R$ (km) $R_1 = R$ (kn) $R_1 < R$ (kn) $R_1 = R$ (ko) $R_1 > R$ (ko) $R_1 = R$ (kp) $R_1 < R$ (kp) $R_1 = R$ (kq) $R_1 > R$ (kq) $R_1 = R$ (kr) $R_1 < R$ (kr) $R_1 = R$ (ks) $R_1 > R$ (ks) $R_1 = R$ (kt) $R_1 < R$ (kt) $R_1 = R$ (ku) $R_1 > R$ (ku) $R_1 = R$ (kv) $R_1 < R$ (kv) $R_1 = R$ (kv) $R_1 > R$ (kw) $R_1 = R$ (kw) $R_1 < R$ (kx) $R_1 = R$ (kx) $R_1 > R$ (ky) $R_1 = R$ (ky) $R_1 < R$ (kz) $R_1 = R$ (kz) $R_1 > R$ (la) $R_1 = R$ (lb) $R_1 < R$ (lb) $R_1 = R$ (lc) $R_1 > R$ (lc) $R_1 = R$ (ld) $R_1 < R$ (ld) $R_1 = R$ (le) $R_1 > R$ (le) $R_1 = R$ (lf) $R_1 < R$ (lf) $R_1 = R$ (lg) $R_1 > R$ (lg) $R_1 = R$ (lh) $R_1 < R$ (lh) $R_1 = R$ (li) $R_1 > R$ (li) $R_1 = R$ (lj) $R_1 < R$ (lj) $R_1 = R$ (lk) $R_1 > R$ (lk) $R_1 = R$ (ll) $R_1 < R$ (ll) $R_1 = R$ (lm) $R_1 > R$ (lm) $R_1 = R$ (ln) $R_1 < R$ (ln) $R_1 = R$ (lo) $R_1 > R$ (lo) $R_1 = R$ (lp) $R_1 < R$ (lp) $R_1 = R$ (lq) $R_1 > R$ (lq) $R_1 = R$ (lr) $R_1 < R$ (lr) $R_1 = R$ (ls) $R_1 > R$ (ls) $R_1 = R$ (lt) $R_1 < R$ (lt) $R_1 = R$ (lu) $R_1 > R$ (lu) $R_1 = R$ (lv) $R_1 < R$ (lv) $R_1 = R$ (lv) $R_1 > R$ (lw) $R_1 = R$ (lw) $R_1 < R$ (lx) $R_1 = R$ (lx) $R_1 > R$ (ly) $R_1 = R$ (ly) $R_1 < R$ (lz) $R_1 = R$ (lz) $R_1 > R$ (ma) $R_1 = R$ (mb) $R_1 < R$ (mb) $R_1 = R$ (mc) $R_1 > R$ (mc) $R_1 = R$ (md) $R_1 < R$ (md) $R_1 = R$ (me) $R_1 > R$ (me) $R_1 = R$ (mf) $R_1 < R$ (mf) $R_1 = R$ (mg) $R_1 > R$ (mg) $R_1 = R$ (mh) $R_1 < R$ (mh) $R_1 = R$ (mi) $R_1 > R$ (mi) $R_1 = R$ (mj) $R_1 < R$ (mj) $R_1 = R$ (mk) $R_1 > R$ (mk) $R_1 = R$ (ml) $R_1 < R$ (ml) $R_1 = R$ (mm) $R_1 > R$ (mm) $R_1 = R$ (mn) $R_1 < R$ (mn) $R_1 = R$ (mo) $R_1 > R$ (mo) $R_1 = R$ (mp) $R_1 < R$ (mp) $R_1 = R$ (mq) $R_1 > R$ (mq) $R_1 = R$ (mr) $R_1 < R$ (mr) $R_1 = R$ (ms) $R_1 > R$ (ms) $R_1 = R$ (mt) $R_1 < R$ (mt) $R_1 = R$ (mu) $R_1 > R$ (mu) $R_1 = R$ (mv) $R_1 < R$ (mv) $R_1 = R$ (mv) $R_1 > R$ (mw) $R_1 = R$ (mw) $R_1 < R$ (mx) $R_1 = R$ (mx) $R_1 > R$ (my) $R_1 = R$ (my) $R_1 < R$ (mz) $R_1 = R$ (mz) $R_1 > R$ (na) $R_1 = R$ (nb) $R_1 < R$ (nb) $R_1 = R$ (nc) $R_1 > R$ (nc) $R_1 = R$ (nd) $R_1 < R$ (nd) $R_1 = R$ (ne) $R_1 > R$ (ne) $R_1 = R$ (nf) $R_1 < R$ (nf) $R_1 = R$ (ng) $R_1 > R$ (ng) $R_1 = R$ (nh) $R_1 < R$ (nh) $R_1 = R$ (ni) $R_1 > R$ (ni) $R_1 = R$ (nj) $R_1 < R$ (nj) $R_1 = R$ (nk) $R_1 > R$ (nk) $R_1 = R$ (nl) $R_1 < R$ (nl) $R_1 = R$ (nm) $R_1 > R$ (nm) $R_1 = R$ (nn) $R_1 < R$ (nn) $R_1 = R$ (no) $R_1 > R$ (no) $R_1 = R$ (np) $R_1 < R$ (np) $R_1 = R$ (nq) $R_1 > R$ (nq) $R_1 = R$ (nr) $R_1 < R$ (nr) $R_1 = R$ (ns) $R_1 > R$ (ns) $R_1 = R$ (nt) $R_1 < R$ (nt) $R_1 = R$ (nu) $R_1 > R$ (nu) $R_1 = R$ (nv) $R_1 < R$ (nv) $R_1 = R$ (nv) $R_1 > R$ (nw) $R_1 = R$ (nw) $R_1 < R$ (nx) $R_1 = R$ (nx) $R_1 > R$ (ny) $R_1 = R$ (ny) $R_1 < R$ (nz) $R_1 = R$ (nz) $R_1 > R$ (oa) $R_1 = R$ (ob) $R_1 < R$ (ob) $R_1 = R$ (oc) $R_1 > R$ (oc) $R_1 = R$ (od) $R_1 < R$ (od) $R_1 = R$ (oe) $R_1 > R$ (oe) $R_1 = R$ (of) $R_1 < R$ (of) $R_1 = R$ (og) $R_1 > R$ (og) $R_1 = R$ (oh) $R_1 < R$ (oh) $R_1 = R$ (oi) $R_1 > R$ (oi) $R_1 = R$ (oj) $R_1 < R$ (oj) $R_1 = R$ (ok) $R_1 > R$ (ok) $R_1 = R$ (ol) $R_1 < R$ (ol) $R_1 = R$ (om) $R_1 > R$ (om) $R_1 = R$ (on) $R_1 < R$ (on) $R_1 = R$ (oo) $R_1 > R$ (oo) $R_1 = R$ (op) $R_1 < R$ (op) $R_1 = R$ (oq) $R_1 > R$ (oq) $R_1 = R$ (or) $R_1 < R$ (or) $R_1 = R$ (os) $R_1 > R$ (os) $R_1 = R$ (ot) $R_1 < R$ (ot) $R_1 = R$ (ou) $R_1 > R$ (ou) $R_1 = R$ (ov) $R_1 < R$ (ov) $R_1 = R$ (ov) $R_1 > R$ (ow) $R_1 = R$ (ow) $R_1 < R$ (ox) $R_1 = R$ (ox) $R_1 > R$ (oy) $R_1 = R$ (oy) $R_1 < R$ (oz) $R_1 = R$ (oz) $R_1 > R$ (pa) $R_1 = R$ (pb) $R_1 < R$ (pb) $R_1 = R$ (pc) $R_1 > R$ (pc) $R_1 = R$ (pd) $R_1 < R$ (pd) $R_1 = R$ (pe) $R_1 > R$ (pe) $R_1 = R$ (pf) $R_1 < R$ (pf) $R_1 = R$ (pg) $R_1 > R$ (pg) $R_1 = R$ (ph) $R_1 < R$ (ph) $R_1 = R$ (pi) $R_1 > R$ (pi) $R_1 = R$ (pj) $R_1 < R$ (pj) $R_1 = R$ (pk) $R_1 > R$ (pk) $R_1 = R$ (pl) $R_1 < R$ (pl) $R_1 = R$ (pm) $R_1 > R$ (pm) $R_1 = R$ (pn) $R_1 < R$ (pn) $R_1 = R$ (po) $R_1 > R$ (po) $R_1 = R$ (pp) $R_1 < R$ (pp) $R_1 = R$ (pq) $R_1 > R$ (pq) $R_1 = R$ (pr) $R_1 < R$ (pr) $R_1 = R$ (ps) $R_1 > R$ (ps) $R_1 = R$ (pt) $R_1 < R$ (pt) $R_1 = R$ (pu) $R_1 > R$ (pu) $R_1 = R$ (pv) $R_1 < R$ (pv) $R_1 = R$ (pv) $R_1 > R$ (pw) $R_1 = R$ (pw) $R_1 < R$ (px) $R_1 = R$ (px) $R_1 > R$ (py) $R_1 = R$ (py) $R_1 < R$ (pz) $R_1 = R$ (pz) $R_1 > R$ (qa) $R_1 = R$ (qb) $R_1 < R$ (qb) $R_1 = R$ (qc) $R_1 > R$ (qc) $R_1 = R$ (qd) $R_1 < R$ (qd) $R_1 = R$ (qe) $R_1 > R$ (qe) $R_1 = R$ (qf) $R_1 < R$ (qf) $R_1 = R$ (qg) $R_1 > R$ (qg) $R_1 = R$ (qh) $R_1 < R$ (qh) $R_1 = R$ (qi) $R_1 > R$ (qi) $R_1 = R$ (qj) $R_1 < R$ (qj) $R_1 = R$ (qk) $R_1 > R$ (qk) $R_1 = R$ (ql) $R_1 < R$ (ql) $R_1 = R$ (qm) $R_1 > R$ (qm) $R_1 = R$ (qn) $R_1 < R$ (qn) $R_1 = R$ (qo) $R_1 > R$ (qo) $R_1 = R$ (qp) $R_1 < R$ (qp) $R_1 = R$ (qq) $R_1 > R$ (qq) $R_1 = R$ (qr) $R_1 < R$ (qr) $R_1 = R$ (qs) $R_1 > R$ (qs) $R_1 = R$ (qt) $R_1 < R$ (qt) $R_1 = R$ (qu) $R_1 > R$ (qu) $R_1 = R$ (qv) $R_1 < R$ (qv) $R_1 = R$ (qv) $R_1 > R$ (qw) $R_1 = R$ (qw) $R_1 < R$ (qx) $R_1 = R$ (qx) $R_1 > R$ (qy) $R_1 = R$ (qy) $R_1 < R$ (qz) $R_1 = R$ (qz) $R_1 > R$ (ra) $R_1 = R$ (rb) $R_1 < R$ (rb) $R_1 = R$ (rc) $R_1 > R$ (rc) $R_1 = R$ (rd) $R_1 < R$ (rd) <